



MSI-H-U7 Reference Standard

CBP80002-11

I. Background

Microsatellite is a tandem repeat sequence in the human genome, generally between 1 and 6 bp, also known as short tandem repeats (STRs) or simple sequence repeats (SSRs).

Microsatellite instability (MSI) refers to the reduction or increase in the number of microsatellite repeats. The inherent mechanism of microsatellite instability is the disorder of the mismatch repair (MMR) system, which limits the ability to correct somatic mutations of spontaneous length changes of microsatellites. Somatic mutations accumulate and eventually form MSI.

Sample ID	Cat.No.	Background	Assay	Comments
M19-11060	CBP80002-11N	B lymphoblast, Female	PCR	Different individual
M20-5812	CBP80002-11T	Colon adenocarcinoma, Female	PCR	

II. General information

Name	MSI-H-U7 Reference Standard
------	-----------------------------



Cat. No.	CBP80002-11
Format	Genomic DNA
Size	(1ug+1ug)/set
Buffer	Tris-EDTA
Storage Conditions	2~8°C
Expiry	36 months from the date of manufacture


III. Detailed data

Detection:

M19-11060			M20-5812		
Marker	Size 1	Size 2	Marker	Size 1	Size 2
NR21	131.9		NR21	123.63	
Bat26	176.32		Bat26	163.27	165.91
Bat25	118.87		Bat25	108.62	112.39
NR27	155.54		NR27	144.00	150.21
NR24	131.99		NR24	129.93	
Mono27	171.78		Mono27	165.55	170.09

IV. Atlas

M19-11060 Typing diagram:



M20-5812 Typing diagram:

